

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of December 31, 2003  
Morris County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	132	22	0	0	132	22
AIDS-CD4 Only	209	35	0	0	209	35
HIV Only	249	42	5	100	254	43
-----	-----	---	-----	---	-----	---
Total	590	100	5	100	595	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	#	#	#	#	342	57
5-12	#	#	Black, Not Hispanic	#	#	#	#	144	24
13-19	8	1	Hispanic	94	16	0	0	94	16
20-29	18	3	Other/Unknown	#	#	#	#	15	3
30-39	179	30	-----	-----	---	-----	---	-----	---
40-49	230	39	Total	590	100	5	100	595	100
50+	155	26							
Unk.	0	0							
-----	-----	---							
Total	595	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	168	42	0	0	168	29
Injection drug user (IDU)	95	24	60	33	155	27
MSM/IDU	14	4	0	0	14	2
Heterosexual contact	26	7	56	31	82	14
Risk not reported/other***	97	24	65	36	162	28
-----	-----	---	-----	---	-----	---
Total	400	100	181	100	581	100

  

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	6	86	6	86	12	86
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	7	100	7	100	14	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of December 2003.

\*\* 9 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2003  
Morris County Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	( #)	# ( #)	# ( #)	# ( #)	# ( #)	262 ( 31)	204 ( 79)
Other OI w/o PCP	#	( #)	# ( #)	# ( #)	# ( #)	# ( #)	245 ( 29)	176 ( 72)
KS Alone	33	( 4)	28 ( 85)	0 ( 0)	0 ( .)	0 ( .)	33 ( 4)	28 ( 85)
No Disease Listed	302	( 36)	93 ( 32)	0 ( 0)	0 ( .)	0 ( .)	302 ( 36)	93 ( 32)
Total	830	(100)	492 ( 60)	12	(100)	9 ( 75)	842 (100)	501 ( 60)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	9	1	White, Not Hispanic	567	68	5	42	572	68
5-12	#	#	Black, Not Hispanic	168	20	5	42	173	21
13-19	5	1	Hispanic	#	#	#	#	86	10
20-29	111	13	Other/Unknown	#	#	#	#	11	1
30-39	386	46							
40-49	237	28	Total	830	100	12	100	842	100
Over 49	91	11							
Unknown	#	#							
Total	842	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	278	44	0	0	278	34
Injection drug user (IDU)	202	32	86	44	288	35
MSM/IDU	23	4	0	0	23	3
Heterosexual contact	31	5	53	27	84	10
Risk not reported/other***	100	16	56	29	156	19
Total	634	100	195	100	829	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	6	86	6	100	12	92
Risk not reported/other***	#	#	0	0	#	#
Total	7	100	6	100	13	100

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2003  
Morris County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	12	12	100%
1985	12	12	100%
1986	28	25	89%
1987	46	44	96%
1988	47	44	94%
1989	43	39	91%
1990	42	34	81%
1991	42	38	90%
1992	63	54	86%
1993	109	84	77%
1994	87	44	51%
1995	70	25	36%
1996	63	14	22%
1997	47	11	23%
1998	24	6	25%
1999	27	#	#
2000	25	7	28%
2001	22	#	#
2002	23	#	#
2003	10	0	0%
-----	-----	-----	-----
Total	842	501	60%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003  
Morris County Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	151	55
5-12	#	#	Black, Not Hispanic	#	#	#	#	67	24
13-19	6	2	Hispanic	#	#	#	#	46	17
20-29	48	17	Other/Unknown	#	#	#	#	12	4
30-39	133	48	-----	-----	---	-----	---	-----	---
40-49	60	22	Total	266	100	10	100	276	100
Over 49	19	7							
Unknown	0	0							
-----	-----	---							
Total	276	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	66	36	0	0	66	25
Injection drug user (IDU)	50	28	24	28	74	28
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	50	28	32	38	82	31
-----	-----	---	-----	---	-----	---
Total	181	100	85	100	266	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	5	100	5	100	10	100

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

# indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2003  
Morris County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	528	48	12	52	540	48
AIDS-CD4 Only	#	#	#	#	302	27
HIV Only	#	#	#	#	276	25
Total	1095	100	23	100	1118	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
				Cases	%	Cases	%	Cases	%
Under 5	15	1	White, Not Hispanic	714	65	9	39	723	65
5-12	8	1	Black, Not Hispanic	231	21	9	39	240	21
13-19	10	1	Hispanic	#	#	#	#	132	12
20-29	189	17	Other/Unknown	#	#	#	#	23	2
30-39	528	47							
40-49	271	24	Total	1095	100	23	100	1118	100
Over 49	97	9							
Unknown	0	0							
Total	1118	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	344	42	0	0	344	31
Injection drug user (IDU)	252	31	110	39	362	33
MSM/IDU	27	3	0	0	27	2
Heterosexual contact	42	5	82	29	124	11
Risk not reported/other***	150	18	88	31	238	22
Total	815	100	280	100	1095	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	11	92	10	91	21	91
Risk not reported/other***	#	#	#	#	#	#
Total	12	100	11	100	23	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2003  
Morris County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	15	15	100%
1985	21	17	81%
1986	39	31	79%
1987	63	53	84%
1988	62	55	89%
1989	64	49	77%
1990	72	51	71%
1991	75	50	67%
1992	85	46	54%
1993	115	67	58%
1994	83	31	37%
1995	68	16	24%
1996	71	11	15%
1997	64	10	16%
1998	45	7	16%
1999	50	#	#
2000	49	7	14%
2001	35	#	#
2002	30	#	#
2003	12	0	0%
-----	-----	-----	-----
Total	1118	523	47%